

WELCOME TO DVC!

Made by generations to last for generations.



Darlington Veneer Company
Quality Plywood & Service Since 1918

Press loads:

- ▶ 5x8 - 24pc min (increments of 12 after)
- ▶ 4x6 - 20pc min
- ▶ 4x8 - 20pc min
- ▶ 4x10 - 24pc min (increments of 8 after)
- ▶ 4x12 - 20pc min (increments of 2 after)

- same as above for counter front material -

- ▶ 20pc min standard except for 5x8 and 4x10
- ▶ Lesser quantities available at an up-charge

- ▶ Less than press load is considered “Mill Run” - includes developing shop (minus any blows)

Unit sizes:

- ▶ 1" - 20pcs
- ▶ 3/4" - 40pcs
- ▶ 5/8" - 40pcs
- ▶ 1/2" - 60pcs
- ▶ 3/8" - 60pcs
- ▶ 3/16" or 1/4" - 100pcs

- ▶ For minimum units see press load minimum



Need a quote?

► Please provide all the following for us to calculate a timely quote.

- ❑ CUT (Plain sliced?... Quartered?...)
- ❑ SPECIES (Maple?... Cherry?...)
- ❑ FACE & BACK GRADE (according to ANSI/HPVA standards)
- ❑ PANEL SIZE (4x8?... 4x10?...)
- ❑ PANEL THICKNESS (3/4 ?... 1/2?..)
- ❑ CORE (MDF? ...Veneer Core?...)
- ❑ QUANTITY (How many?...)